

SN-504



INDUSTRIAL GRADE RTV NEUTRAL SILICONE - HM

1. Product & Company Identification

Product Details

Product name: SN-504 Industrial Grade RTV Neutral Silicone Sealant - HM

Physical form: **Paste**

Odour: **Low Oxime Odour**

CAS No.: **Mixture**

Company Details

Manufacturer: Mohm Chemical Sdn Bhd

Address: No. 32, JalanTemenggong, Off JalanTampoi,

81100 Johor Bahru, Johor, Malaysia.

Tel: + 60-7-3331222

+ 60-7-3320545 / + 60-7-3337919 Fax:

2. Hazards Identification

Hazard Pictogram



Classification

Skin corrosion or irritation	Category 2
Serious eye damage or eye irritation	Category 2

Hazard Statement

H315 - Causes skin irritation.

H319 - Causes serious eye irritation

<u>Precautionary Statement - Prevention</u>

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

<u>Precautionary Statement - Response</u>

MOHM CHEMICAL SDN. BHD. (REG NO 27685141)

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.





SN-504



INDUSTRIAL GRADE RTV NEUTRAL SILICONE - HM

Precautionary Statement - Storage

No precautionary statement

Precautionary Statement - Disposal

No precautionary statement

3. Composition / Hazardous Components		
Chemical Name	CAS No.	<u>WT%</u>
Methyl Tri (Methylethylketoxime) Silane	22984-54-9	1 – 8 %
Vinyl Tri (Methylethylketoxime) Silane	2224-33-1	1 - 5 %
Treated Fume Silica	68583-49-3	5 - 15 %
Linear Polydimethylsiloxanes	63148-62-9	10 - 45%
Limestone	131765-3	20 - 45%

4. First-aid Measures

Take off all contaminated clothing immediately.

In case of ingestion: Seek medical advice immediately.

In case of skin contact: Wipe with paper towel and immediately clean with water and

In case of eyes contact: Immediately flush with water, seek medical advice if

necessary.

5. Fire Fighting Measures

Suitable extinguishing media: All standard fire-fighting media.

Unsuitable extinguishing media: Unknown

Hazardous decomposition: Carbon dioxide, carbon monoxide, silicone dioxide, nitrogen

oxides and formaldehyde.

6. Accidental release measures

Methods for cleaning up: Take up mechanically.

7. Handling and Storage

Handling: Avoid contact with eyes and skin. Ensure good ventilation

during processing. Wear safety shoes.

General rules of fire prevention should be observed. Protection against fire/ explosion:

Storage: Keep container tightly closed and dry.

Cautions: Extreme heavy in drum form if product packed in 200L drum.

MOHM CHEMICAL SDN. BHD. (REG NO 276851-11)



SN-504



INDUSTRIAL GRADE RTV NEUTRAL SILICONE - HM

8. Exposure control / Personal protection

Ingredients with limited values to be Not indicated.

controlled:

Local exhaust: Recommended General ventilation: Recommended

Hand protection: Suitable protective gloves. Eye protection: Safety/protective glasses.

Flammability: Combustible

Note: Until more data is known, exposure levels should be maintained as low as achievable.

9. Physical and Chemical Properties

Form: Specific gravity: 1.40 ± 0.05 Colour: **Matt Black** Viscosity: Not indicated. Odour: Oxime Odour

Volatile, % volume (25°C): < 5%

Not Applicable. **Boiling point:** Flash point: Not Applicable. Not Applicable. Ignition temperature: Solubility in water: Insoluble Vapour pressure: Not Applicable.

Solubility in organic solvent: Toluene.

Note: the above information is not intended for use in preparing specification.

10. Stability and Reactivity

Chemical stability: Stable

Incompatibility (material to be None known.

avoid):

Conditions to be avoid: None known. Dangerous reactions: None known.

Dangerous products of Ketoxime during curing.

decomposition:

11. Toxicological Information

MOHM CHEMICAL SDN. BHD. (REG NO 27685141)

Not determined Acute toxicity:

Primary irritant effect,

On the skin: Irritant for skin and mucous membranes.

On the eye: Irritant effect

Sensitization: Sensitization possible by inhalation.

Additional Toxicological Until more data is known, exposure levels should be maintained

information: as low as achievable.





SN-504



INDUSTRIAL GRADE RTV NEUTRAL SILICONE - HM

12. Ecological Information

Complete information not yet available.

13. Disposal considerations

For cured sealant landfill may be suitable.

With respect to local regulation, dispose to suitable incineration plant.

14. Transport Information

Dangerous Goods by Road (ADR):

Proper Shipping Name: Not regulated Hazard class or division: Not regulated Identification number: Not regulated Packaging group: Not regulated

International Air Transportation (ICAO/IATA): **Proper Shipping Name:** Not regulated Hazard class or division: Not regulated Identification number: Not regulated Packaging group: Not regulated

Water Transportation (IMO/IMDG):

Proper Shipping Name: Not regulated Hazard class or division: Not regulated Identification number: Not regulated Packaging group: Not regulated

Not dangerous goods under the transport regulation.

15. Regulatory Information

Labeling (EC): This product is not subject to the labelling requirements.

16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

End Of SDS



MOHM CHEMICAL SDN. BHD. (REG NO 27685141)