SAFETY DATA SHEET REV: 06 DATE: 1 NOVEMBER 2022 x'traseal®

SA-101 100% RTV ACETIC SILICONE SEALANT

1. Product & Company Identification

Product Details

Product name:	SA-101 100% RTV Acetic Silicone Sealant
Physical form:	Paste
Odour:	Vinegar Odour
CAS No.:	Mixture

Company Details

Manufacturer:	Mohm Chemical Sdn Bhd
Address:	No. 32, Jalan Temenggong, Off Jalan Tampoi,
	81100 Johor Bahru, Johor, Malaysia.
Tel:	+ 60-7-3331222
Fax:	+ 60-7-3320545 / + 60-7-333791

2. Hazards Identification

Hazard Pictogram



Signal Word: Warning

Classification

Skin corrosion or irritation	Category 2
Serious eye damage or eye irritation	Category 2

Hazard Statement

H315 - Causes skin irritation.

H319 - Causes serious eye irritation

Precautionary Statement – Prevention

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

<u>Precautionary Statement – Response</u> P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P332 + P313 - If skin irritation occurs: Get medical advice/attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice/attention.



SAFETY DATA SHEET REV: 06 DATE: 1 NOVEMBER 2022



SA-101 100% RTV ACETIC SILICONE SEALANT

Precautionary Statement - Storage No precautionary statement

Precautionary Statement – Disposal

No precautionary statement

3. Composition / Hazard	dous Components		
<u>Chemical Name</u>	<u>CAS No.</u>	<u>WT%</u>	
Titanium dioxide	13463-67-7	< 5 %	
Methyltriacetoxysilane	4253-34-3	< 5 %	
Treated Fume Silica	68611-44-9	5 – 25 %	
Silicone Polymer	70131-67-8	50 -70%	
Polydimethylsiloxane	63148-62-9	5- 10%	

4. First-aid Measures

Take off all contaminated clothing immediately.		
In case of ingestion:Seek medical advice immediately.In case of skin contact:Wipe with paper towel and immediately clean with water and soaIn case of eyes contact:Immediately flush with water, seek medical advice if necessary	p.	

5. Fire Fighting Measures	
Suitable extinguishing media: Unsuitable extinguishing media:	All standard fire-fighting media. Unknown
Hazardous decomposition:	Carbon dioxide, carbon monoxide, silicone dioxide, acetic acid, formaldehyde.

6. Accidental release measures

Methods for cleaning up:

Take up mechanically.

7. Handling and Storage	
Handling:	Avoid contact with eyes and skin. Ensure good ventilation during processing. Wear safety shoes.
Protection against fire/ explosion: Storage: Cautions:	General rules of fire prevention should be observed. Keep container tightly closed and dry. Extreme heavy in drum form if product packed in 200L drum.



SAFETY DATA SHEET REV: 06 DATE: 1 NOVEMBER 2022 x'trasea

SA-101

100% RTV ACETIC SILICONE SEALANT

8. Exposure control / Personal protection

Ingredients with limited values to be controlled: Local exhaust: General ventilation: Hand protection: Eye protection: Flammability: Not indicated.

Recommended Recommended Suitable protective gloves. Safety/protective glasses. Combustible

9. Physical and Chemical Properties

Form: Specific gravity: Colour: Viscosity: Odour: Volatile, % volume (25°C): Solubility in water: Boiling point: Flash point: Ignition temperature: Paste 1.01 ± 0.02 Clear and pigmented Not indicated. Acetic vinegar. < 10% Insoluble Not Applicable >212°F / >100°C(closed cup) Not Applicable

Note: the above information is not intended for use in preparing specification.

10. Stability and Reactivity

Chemical stability: Incompatibility (material to be avoid): Conditions to be avoid: Dangerous reactions: Dangerous products of decomposition: Stable Water High temperature. None known. Carbon dioxide, carbon monoxide, silicone dioxide, acetic acid, formaldehyde.

11. Toxicological InformationAcute toxicity:
Primary irritant effect,
On the skin:
On the eye:
Sensitization:
Additional Toxicological information:Not determined
Irritant for skin and mucous membranes.
irritant effect
Sensitization possible by inhalation.Additional Toxicological information:When used and handled according to specification, the
product does not have any harmful effects according to our
experience and the information provided to us.



SAFETY DATA SHEET





SA-101 100% RTV ACETIC SILICONE SEALANT

12. Ecological Information

Complete information not yet available.

13. Disposal considerations

Dispose the waste matters and contaminated packaging following law, rules and regulations. Dispose to an authorized waste collection point.

Do not cast waste (waste fluid, solid waste and washing drainage etc.) that includes this product directly into a river, or bury it underground.

14. Transport Information

Dangerous Goods by Road	(ADR):	
Proper Shipping Name:	Not regulated	
Hazard class or division:	Not regulated	
Identification number:	Not regulated	
Packaging group:	Not regulated	
International Air Transportation (ICAO/IATA):		
Proper Shipping Name:	Not regulated	
Hazard class or division:	Not regulated	
Identification number:	Not regulated	
Packaging group:	Not regulated	
Water Transportation (IMO/IMDG):		
	-	

regulated
regulated
regulated
regulated

Not dangerous goods under the transport regulation.

15. Regulatory Information

Labeling (EC): This product is not subject to the labeling requirements.

16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

End of SDS ***



Website: www.xtraseal.com Email : info@mochem.com