

SAFETY DATA SHEET

REV: 06

Date: 30 April 2024



MC-291

**Xtrasol Ultra Performance
Metal Polish**

1. Product & Company Identification

Product Details

Product name: MC-291 XTRASOL ULTRA PERFORMANCE METAL POLISH
Chemical Family: Complex Mixture
CAS No.: Mixture

Company Details

Manufacturer: Mohm Chemical Sdn Bhd
Address: No. 32, Jalan Temenggong, Off Jalan Tampoi,
81100 Johor Bahru, Johor, Malaysia.
Tel: + 60-7-3331222
Fax: + 60-7-3320545/ + 60-7-3337919

2. Hazards Identification

Hazard Pictogram

Not classified as hazardous

Signal Word:

Not classified as hazardous

Classification

Not classified as hazardous

Hazard Statement

Not classified as hazardous

Precautionary Statement

Not classified as hazardous

3. Composition / Hazardous Components

Chemical Name	CAS No.	WT%
Kaolin	1332-58-7	30 - 50
Naphtha (petroleum), hydrotreated heavy	64742-48-9	10 - 30

4. First-aid Measures

Eye Contact :	Flush eyes immediately with water.
Skin Contact :	Wash exposed portions of the skin with soap and water.
Inhalation :	Remove person to fresh air.
Ingestion :	Seek medical attention immediately. Do not induce vomiting unless directed by a physician. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com

SAFETY DATA SHEET

REV: 06

Date: 30 April 2024



MC-291

**Xtrasol Ultra Performance
Metal Polish**

5. Fire Fighting Measures

Suitable extinguishing media: Use dry chemical powder, foam, carbon dioxide, water fog, sand or earth.
Unsuitable extinguishing media: Do not use Water in A Jet.

6. Accidental release measures

Exclude sources of ignition and ventilate the area.
Exclude non-essential personnel. Avoid breathing vapours.
Collect spillages mechanically and store in suitable covered container.

7. Handling and Storage

Handling: Ensure good ventilating during processing.
Protection against fire/ explosion: General rules of fire prevention should be observed.
Storage: Keep container tightly closed and dry, store in a well-ventilated area.

8. Exposure control / Personal protection

Industrial hygiene: Remove immediately all contaminated clothing. Do not inhale vapours.
General ventilation: Recommended
Hand protection: Suitable protective gloves.
Eye protection: Safety/ protective glasses.

9. Physical and Chemical Properties

Flammability Non-flammable
Solubility in water: Slightly dispersible
Appearance: White paste
Specific Gravity: 1.32±0.05

10. Stability and Reactivity

Hazardous decomposition products: None.
Hazardous reactions: No dangerous reaction known.

11. Toxicological Information

Not determined



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com

SAFETY DATA SHEET

REV: 06

Date: 30 April 2024



MC-291

Xtrasol Ultra Performance
Metal Polish

12. Ecological Information

Large quantities of product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface water.

13. Disposal Considerations

Dispose the waste matters and contaminated packaging following law, rules and regulations.
Dispose to an authorised waste collection point.
Do not cast waste (waste fluid, solid waste and washing drainage etc.) that includes this product directly into a river, or bury it underground.

14. Transport Information

No dangerous goods under the transport regulations.

15. Regulatory Information

Labeling (EC): This product is not subject to the labeling requirements.

16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

*** End of SDS ***



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919
Website: www.xtraseal.com Email: info@mochem.com