



# x'traseal®

## MC-238

PU FOAM  
INSULATION & CONSTRUCTION  
POLYURETHANE FOAM

# SAFETY DATA SHEET

REV: 04

Date: 30 April 2024

### 1. Product & Company Identification

#### Product Details

Product name: MC-238 PU Foam Insulation & Construction Polyurethane Foam  
Physical form: Aerosol  
Odour: Odourless  
CAS No.: Mixture  
Flammability: Combustible

#### Company Details

Manufacturer: Mohm Chemical Sdn Bhd  
Address: No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor, Malaysia.  
Tel: + 60-7-3331222  
Fax: + 60-7-3320545/ + 60-7-3337919

### 2. Hazards Identification

#### Hazard Pictogram



Signal Word: Warning

#### Classification

|                                                |            |
|------------------------------------------------|------------|
| Skin corrosion or irritation                   | Category 2 |
| Serious eye damage or eye irritation           | Category 2 |
| Flammable aerosols                             | Category 2 |
| Specific target organ toxicity-single exposure | Category 3 |

#### Hazard Statement

H223 - Flammable aerosol  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.

#### Precautionary Statement – Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P211 - Do not spray on an open flame or other ignition source.



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)  
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
Website: www.xtraseal.com Email: info@mochem.com



# x'traseal®

## MC-238

PU FOAM  
INSULATION & CONSTRUCTION  
POLYURETHANE FOAM

# SAFETY DATA SHEET

REV: 04

Date: 30 April 2024

P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary Statement – Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

#### Precautionary Statement – Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### Precautionary Statement – Disposal

P501 - Dispose of contents/container in accordance with regulations made under the control of Pollution & Environmental Protection Acts.

### 3. Composition / Hazardous Components

| <u>Chemical Name</u>              | <u>CAS No.</u>   | <u>WT%</u> |
|-----------------------------------|------------------|------------|
| Diphenylmethane-4,4' diisocyanate | 9016-87-9        | 30-50%     |
| Propane/ Butane                   | 74-98-6/106-97-8 | < 15 %     |
| Dimethylether                     | 115-10-6         | < 15 %     |

### 4. First-aid Measures

Take off all contaminated clothing immediately.

Eye Contact :

Immediately flush with running water for at least 15 minutes, holding the eyelids apart and seek medical advice.

Skin Contact :

Wipe with paper towel and immediately clean with soap and water.

Inhalation :

Remove to fresh air and rest, seek medical advice if necessary.

Ingestion :

Rinse mouth with water several times, seek medical advice immediately.

### 5. Fire Fighting Measures

Suitable extinguishing media:

CO2, powders, foam and water spray.

Unsuitable extinguishing media:

Water from a jet.

Special firefighting procedure:

Wear protective clothing and breathing apparatus. Remove unexposed containers from the danger area. Cool with water, container may burst. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.

Hazardous decomposition:

Carbon dioxide, carbon monoxide, isocyanates, smoke, oxides of nitrogen, chlorhydric acid, hydrogen cyanide, sulphur dioxide.



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)

No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919

Website: www.xtraseal.com Email: info@mochem.com



# x'traseal®

## MC-238

PU FOAM  
INSULATION & CONSTRUCTION  
POLYURETHANE FOAM

# SAFETY DATA SHEET

REV: 04

Date: 30 April 2024

### 6. Accidental release measures

Methods for cleaning up: Wipe and scrape up, put in a container for disposal.  
Environmental precautions: Keep away from drains and watercourses.

### 7. Handling and Storage

Handling: Avoid contact with eyes and skin. Handle in well-ventilation area.  
Storage: Store in well-ventilated area in closed container between +5 to +25°C. Keep away from direct sunlight and other sources of heat.

### 8. Exposure control / Personal protection

Engineering measures: Provide adequate ventilation.  
Hand protection: Suitable protective gloves.  
Eye protection: Safety/protective glasses.  
Respiratory protection: Avoid breathing vapour. Maintain good ventilation.  
Flammability: Contain combustible propellant, keep away from heating sources.  
Exposure limits: Propane/butane: MAK 1000ppm,  
Dimethylether: MAK 1000ppm.  
Diphenylmethane-4,4'-diisocyanate: MAK 0.005ppm.

### 9. Physical and Chemical Properties

Form: Aerosol  
Colour: Yellow  
Odour: Odourless  
Specific gravity: Approx. 1.2  
Flash point: N/A  
Ignition temperature: > 300°C  
Vapour pressure (20°C): Not determined  
Solubility with water: Insoluble

### 10. Stability and Reactivity

Chemical stability: Stable  
Incompatibility (material to be avoid): Unknown  
Conditions to be avoid: Keep away from sources of ignition. Container may burst when heated.  
Dangerous reactions: None known.  
Dangerous products of decomposition: Carbon dioxide, carbon monoxide, isocyanates, smoke, oxides of nitrogen, chlorhydric acid, hydrogen cyanide, sulphur dioxide.



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)  
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
Website: www.xtraseal.com Email: info@mochem.com

Mohm Chemical Sdn. Bhd. is an ISO14001 & ISO9001 certified company in Malaysia. x'traseal® is a registered trademark of Mohm Chemical Sdn. Bhd. ©1993 Mohm Chemical Sdn. Bhd. All rights reserved.



# x'traseal®

## MC-238

PU FOAM  
INSULATION & CONSTRUCTION  
POLYURETHANE FOAM

# SAFETY DATA SHEET

REV: 04

Date: 30 April 2024

### 11. Toxicological Information

|                                            |                                                                                      |
|--------------------------------------------|--------------------------------------------------------------------------------------|
| Contain diphenylmethane-4,4'-diisocyanate: | MAK 0.005ppm.                                                                        |
| On the skin:                               | Irritant for skin.                                                                   |
| On the eye:                                | Irritant effect.                                                                     |
| Sensitization:                             | May cause sensitisation of the respiratory system leading to an asthmatic condition. |

### 12. Ecological Information

|                                                     |                     |
|-----------------------------------------------------|---------------------|
| Avoid uncured product will come in the environment. |                     |
| Degradability:                                      | Unknown.            |
| Ecotoxicity:                                        | Unknown.            |
| WGK:                                                | 1(self-assessment). |

### 13. Disposal Considerations

|                        |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Waste Disposal Method: | All disposals must comply with relevant authorities' regulations. |
|------------------------|-------------------------------------------------------------------|

### 14. Transport Information

|                         |          |
|-------------------------|----------|
| <b>By land(ADR/RID)</b> |          |
| Name:                   | Aerosols |
| UN-number:              | 1950     |
| Class:                  | 2        |
| Classification code:    | 5A       |
| Limited quantities:     | LQ2      |
| Danger label:           | 2.2      |

|                              |          |
|------------------------------|----------|
| <b>By air(ICA0/IATA-DGR)</b> |          |
| Name:                        | Aerosols |
| UN-number:                   | 1950     |
| Class:                       | 2.2      |

|                          |          |
|--------------------------|----------|
| <b>By sea(IMDG-Code)</b> |          |
| Name:                    | Aerosols |
| UN-number:               | 1950     |
| Class:                   | 2        |
| EmS-Nr.:                 | 2-13     |
| Marine Pollutant:        | No       |



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)  
No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919  
Website: www.xtraseal.com Email: info@mochem.com

Mohm Chemical Sdn. Bhd. is an ISO14001 & ISO9001 certified company in Malaysia. x'traseal® is a registered trademark of Mohm Chemical Sdn. Bhd. ©1993 Mohm Chemical Sdn. Bhd. All rights reserved.



# x'traseal®

## MC-238

PU FOAM  
INSULATION & CONSTRUCTION  
POLYURETHANE FOAM

# SAFETY DATA SHEET

REV: 04

Date: 30 April 2024

### 15. Regulatory Information

|                 |                                                             |                                                                                               |
|-----------------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Labeling (EC):  | This product is subject to the labeling requirements.       |                                                                                               |
| Danger symbol:  | F+, Xn.                                                     |                                                                                               |
| Contain:        | Diphenylmethane 4,4' di-isocyanate, isomers and homologues. |                                                                                               |
| Risk phrases:   | R12                                                         | Extremely flammable.                                                                          |
|                 | R20                                                         | Harmful by inhalation.                                                                        |
|                 | R36/37/38                                                   | Irritating to eyes, respiratory system and skin.                                              |
|                 | R42/43                                                      | May causes sensitization by inhalation and skin contact.                                      |
| Safety phrases: | S2                                                          | Keep out of reach of children.                                                                |
|                 | S26                                                         | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
|                 | S28                                                         | After contact with skin, wash immediately with plenty of water.                               |
|                 | S38                                                         | In case of insufficient ventilation, wear suitable respiratory equipment.                     |
|                 | S45                                                         | In case of accident or if you feel unwell, seek medical advice immediately.                   |

Pressurized container. Protect from sunlight and do not expose to temperature exceeding 50°C.

Do not pierce or burn even after use.

Do not spray on a naked flame or any incandescent material.

Keep away from sources of ignition. No smoking.

In use, may form flammable/explosive vapour-air mixture.

Keep out of reach of children.

### 16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

\*\*\* End Of SDS \*\*\*



MOHM CHEMICAL SDN. BHD. (REG NO 276851-U)

No. 32, Jalan Temenggong, Off Jalan Tampoi, 81100 Johor Bahru, Johor,  
Malaysia. Tel : +607 333 1222 Fax : +607 332 0545 / 333 7919

Website: www.xtraseal.com Email: info@mochem.com